Balboa Water Group - BP501/601

Notebook: iimnesoa's notebook
Created: 10/9/2013 1:22 PM
URL: http://www.balboaw

URL: http://www.balboawatergroup.com/BP501





MicroSilk® Spa Products Bath Products White Goods Other Products Support Contact

Home/Spa Products/NFW - BF501/601

bp501/601



Meet the BP501/601

- Overheat Fault Detection for Runaw ay Pumps / Stuck Relays
- Supports up to 5.5 kW Heater (60 Hz)
- Option to add 2 speed pump 3
- Quick heater connect pow er plug
- Wi-Fi Ready
- Based on Balboa's most popular model's
- · Press & Hold Buttons for ease of use

Now Shipping

We listened and we added the new BP501/601 to the popular BP Series of spa controls. Based on the BP500/600, this new model can run up to a 5.5 kW heater (60Hz systems), supports an expander card to run another pump and has multiple panel jacks on the main board.

Includes Balboa's patented overheat Fault Detection for runaw ay pumps or stuck relays. The new M7 Flus softw are design incorporates patented technology using a microprocessor to intelligently monitor the hot tub w ater temperature and detect a runaw ay pump or stuck relays. If detected, the system will automatically shut the power off to the tub to prevent any overheating. (BP501 only)

For serviceability, the new BP501/BP601 systems include a new single board configuration and have Balboa's new quick connect $\underline{\text{heater system}}$ – no more removing heater straps, just unplug the old heater and plug in a new one.

M7 Application Guidelines

Downloads:

» BE501/601 Sell Sheet





Announcing...

The all NEW Balboa Water Group Hot Tub application for the Android®, iFhone®, iPod touch® or iFad®. More information click here.













Panels And Overlays

The sleek new topside panels includes a large easy to read back-lit LCD with simple to follow end user menus. With new press and hold button technology, setting temperature and other common tasks have been simplified. User navigation is intuitive and easier than ever, reducing customer service help calls.

Control Panel Manuals:

TP600 and TP400 Control Fanels - Simplified Menus
TP600 and TP400 Control Fanels - Standard Menus

Panel TP800

50204 No Overlay 50261 With Overlay (12512)



Overlay 12512 (Jets1, Jets2, Light, Aux)_

Panel TP600

50056-01 (TP600 2 Jets with overlay 12198) 55673-05 (TP600 with overlay 12101)

55676-05 (TP600 no overlay) **56046-01** (TP600 15 ft cable no overlay) **56047-01** (TP600 15 ft w ith overlay 12101)



erlay 12198 (Jet 1, Jet 2, Flip, Warm, Light, Cool)



Overlay 12101 (Jets, Aux, Flip, Warm, Light, Cool)

Panel TP400

55701 (TF400T no overlay) 50260 (TF400T with overlay 12511) **55702** (TF400W no overlay) 50259 (TF400W with overlay 12510)



Overlay 12510 (Warm, Cool, Light, Jets)





Overlay 12511 (Temp, Jets, Light, Aux)

System Specifications

Voltage Supply: (BP501: 120V or 240V) (BF601: 230V) Sensors: M7 patented temperature probes Certifications: (BP501: UL recognized) (BF601: NEMKO)

Spa Lights Controls: 1 Amp Max For additional information: coming soon







BP501 System Specifications (UL Recognized)

System Material Number	Descriptions	Pump 1	Pump 2 or Blower	Pump 3 (Optional with Expander Card)	Heater
56485	SYSTEM BALBOA BF501G1 800INC - 60 Hz	_2 spd or 1 spd w ith Circ_	1 spd	NA	5.5 kW 800 Incoloy_
56586	SYSTEM BALBOA BF501G1 825INC - 60 Hz	2 spd or 1 spd w ith Circ	1 spd	NA_	5.5 kW 825 Incoloy
56487	SYSTEM BALBOA BP501G1 TITAN - 60 Hz_	2 spd or 1 spd w ith Circ	1 spd	NA	5.5 kW Titanium
56480	SYSTEM BLBOA BP501G2 800INC	2 spd or 1 spd w ith Circ_	1 spd	2 spd	_5.5 kW 800 Incoloy_
56486	SYSTEM BLBOA BP501G2 825INC	2 spd or 1 spd w ith Circ_	1 spd	2 spd	_5.5 kW 825 Incoloy_
56482	SYSTEM BLBOA BP501G2 TITANIUM_	2 spd or 1 spd w ith Circ	1 spd	2 spd2	5.5 kW Titanium

System Ma	aterial Number	Descriptions	Pump 1	Pump 2 or Blower	Pump 3 (Optional with Expander Card)	Heater
5	6497	SYSTEM BALBOA BF601G1 800INC - 50 Hz	2 spd or 1 spd w ith Circ	1 spd	NA	_3.0 kW 800 Incoloy_
5	6498	SYSTEM BALBOA BF601G1 825INC - 50 Hz	2 spd or 1 spd w ith Circ_	1 spd	NA	3.0 kW 825 Incoloy_
5	6499	SYSTEM BALBOA BP601G1 TITAN - 50 Hz	2 spd or 1 spd w ith Circ	1 spd	NA	3.0 kW Titanium

Compatible Plumbing Kits (Coupling nuts and seals included)		
55911	2" Tailpieces (2-Speed Fump 1). Compatible Flumbing Kits (Coupling nuts and seals included).	

Privacy Policy Conditions of Use Warranty About BWG Careers News Trademarks Image Use Policy Site Map Search @ Balboa Water Group. All rights reserv